

## Modeling Ancient Settlement Systems



Examine the dynamics of development and sustainability or demise of settlement systems in both the rain-fed northern and irrigated southern regions of ancient Mesopotamia.

Mesopotamia as testbed for study of <u>long-term</u> human-environment interactions.



Apply complex adaptive systems, agent-based modeling techniques in a new, holistic simulation framework, to model fine-scale interactions among diverse natural processes and social processes on a daily basis across multi-generational timespans.



- The Oriental Institute of the University of Chicago
- Argonne National Laboratory
- The University of Edinburgh (UK)






Five-year National Science Foundation

Biocomplexity in the Environment research grant

## Mesopotamian Study Regions



### Our Collaborative Development Process



Subject domain data and conceptual models derived from:



EXTENSIVE SITE SURVEYS

CENTURIES OF TEXTUAL RECORDS



ETHNOGRAPHY AND CULTURAL ANALOGS

#### "ENKIMDU"

HOLISTIC AGENT-BASED SIMULATION FRAMEWORK

... named in honor of the ancient Sumerian god of agriculture and irrigation

# Argonne National Laboratory Advanced Simulation Technologies Center

- Computer Modeling and Simulation Expertise
- Advanced Object-Based Discrete Event Simulation Frameworks:




A facility for constructing simulations for complex, heterogeneous domains



A toolkit for constructing models of complex social behavior patterns

### Scope and Scale of Simulations

**SCOPE:** Individual small settlements up to whole regions (> 100 km)




#### SCALE: Entity-Level Resolution and Granularity

- Individual households and persons as independent social agents
- Individual crop fields, domesticated fauna

#### SCALE: Process and Temporal Resolution


- Daily weather, hydrologic and soil processes, vegetation dynamics
- Daily to sub-daily (hours, minutes) tracking of detailed household tasks and social interactions

# ENKIMDU Object-Based Representation of Key Domain Entities and Their Dynamic Behaviors



( MASS: Modeling Ancient Settlement Systems Group )

# Temporal Texture of Modeled Concurrent Natural and Social Processes




TICKMARKS INDICATE MODELED INVOCATION OF THE PROCESS BEHAVIOR




Approximate number of instances of this type in the Beydar settlement simulations

# Example of a Simulated Natural / Social Process Interaction




# Composition of Household Agent Objects



### Household Agent Adaptive Behavior Examples

Household agents' perception of sustainability stress can drive them to initiate complex behavior patterns that address different time horizons...



## Exchange

#### Kin Gifts

- Household Agents can call on their close kin for non-reciprocal assistance.
- Preference order for requests: father, patrilineal uncles, brothers, patrilineal cousins, mother, matrilineal uncles, matrilineal cousins.

#### **Reciprocal Exchange**

- Household Agents prefer their established Exchange Partners but will exchange with any other cooperative agent.
- Both parties must perceive a significant benefit in exchanges.
- Exchange rates vary by time and by Market (e.g., Local and Ephemeral Markets).

#### Wage Labor


• Exchange is reciprocal; day labor is paid each day in grain.

#### **Grain Loans**

Loans due to be repaid in kind, with interest (~ one-third of principal) after next harvest.


### Household Agents' Agricultural Behavior Pattern Models

Planting a barley crop: a household coping response to perceived <u>future</u> food stress



These two models are implemented using Argonne's FACET framework

## Northern Mesopotamian Pilot Site: Tell Beydar



## Computer Model of Bronze Age Tell Beydar

A reconstruction based on site surveys and regional analogs:


#### **Tell Beydar Field Layout**

Surrounding the Tell Beydar settlement site to a radius of roughly 2 km:

337 fields averaging about 3 ha each → 1,000 ha total

Fields excluded from basalt highlands to west and from courses of major wadis

Soils: calciorthid silty loam; alluvial in wadis; thinly covered basalt formations to west.



# Other Key Data Sources And Assumptions

Weather: 100 years of daily weather synthesized from longrun Mosul, Iraq climatological data.

**Crops**: Barley only, with botanical parameters adjusted for archaic genotypes.

Livestock: Sheep and goats, with zoological parameters typical of Middle Eastern varieties.

### ENKIMDU's Currently Available Output Streams




#### **Geospatial Animation Displays**

Queryable, with zoom, pan, etc.; fine temporal resolution down to one simulation minute update interval



# Settlement Annals Nomadic Community Annals Household Annals

Summaries of activities by year, month and/or n-day period, in Excel spreadsheet format




## Ephemeral Market Summaries

Summaries of exchanges by day and/or for entire market duration, in Excel spreadsheet format


Ephemeral Market: e.g., exchanges between nomads and townspeople during a two-week visit to a town by a nomadic group

#### **Household Diaries**


Year-by-year chronological narrative description of all significant activities of each household and its members




# Key to Household Diary Results




# Snapshots from Tell Beydar 100-Year Baseline Simulation: Households' Daily Agricultural and Pastoral Activities




#### Households' Daily Agricultural and Pastoral Activities - I




#### Households' Daily Agricultural and Pastoral Activities - II



#### Households' Daily Agricultural and Pastoral Activities - III



#### Households' Daily Agricultural and Pastoral Activities - IV




### Tell Beydar 100-Year Baseline Scenario


Initial Population: 501 persons in 99 households; 1,188 initial livestock, 12 per household.


Fields allocated to households via *mushá* (community field lottery) system. Biennial fallowing strictly observed by all households. Ard plow or hoe used for tillage.



no exceptional environmental or societal stresses are imposed.








#### Environmental and Social Stress Scenarios

Scenario Name	Type of Stress	Description of Stress Scenario	Response of Simulated Settlement
Blight	Chronic Environmental Stress	Recurring harvest blight, variable in space and time	Different households affected differently; increased use of exchange-based coping mechanisms
Drought	Acute Environmental Stress	Severe 5-year drought	Temporary extensification of agriculture to offset reduced yields
Plow Team Shortage	Chronic Societal Stress	Farm production bottleneck: plow team availability	Abrupt collapse of settlement as "hidden" critical resource threshold is reached
Corvee Labor	Acute Societal Stress	External call for corvee labor: unanticipated labor shortage at harvest time	Increase in grain transactions; liquidation of herds; effects felt for many years after corvee episode
Diphtheria Epidemic	Acute Demographic Shock	Diphtheria epidemic: sudden decimation of settlement's children	Weakening of kinship networks; more non-kin exchanges; delayed shortage of farm labor; slow decline

Much more detail is available for these scenarios!

## Major Ongoing Project Tasks

- Expand studies to sub-region and region scale in Northern Mesopotamia
- Implement and test
   Southern Mesopotamian
   pilot settlement model



- Strengthen the current agent representation e.g.:
  - stronger person-level (vs. household-level) agency;
  - agent motivations beyond subsistence;
  - emergence and perpetuation of elites
- New U. of Chicago / Argonne pilot study: modern Thai agroeconomics

#### Some Observations

#### BUILD MODEL -> TEST & RUN MODEL -> INTERPRET RESULTS ...

The most scientifically valuable part of this process may turn out to be the model-building phase!

As we attempt to include more and more complex real-world structures and mechanisms within our holistic simulations, we are uncovering more and more knowledge gaps -- technical issues that the scientific community has never before *needed* to resolve, and may never even have *identified* before. Discovering these is a good thing!

It appears that there could be *hundreds* of worthwhile dissertation topics waiting to be discovered in the process of constructing a modeling framework such as ENKIMDU. (We've found <u>dozens</u> already)

## ... And, Finally:



# For further information, contact:

#### John Christiansen

Advanced Simulation Technologies Center Decision and Information Sciences Division Argonne National Laboratory 9700 S. Cass Avenue – Bldg. 900 Argonne, Illinois 60439-4832 USA (630) 252-3291; FAX (630) 252-6073

e-mail: jhc@anl.gov